## **EUROPEAN PATENT O**

## **Patent Abstracts of Japan**

**PUBLICATION NUMBER** 

02023314

**PUBLICATION DATE** 

25-01-90

APPLICATION DATE

12-07-88

APPLICATION NUMBER

63173264

APPLICANT: MENIKON:KK;

INVENTOR:

INUKAI YOSHIHIKO;

INT.CL.


G02C 7/04

TITLE

: DYEING METHOD FOR HARD

CONTACT LENS AND DYED HARD

**CONTACT LENS** 



ABSTRACT :

PURPOSE: To enable uniform and strong marking without any well by making a sublimating dye to penetrate the surface of a lens by sublimation by using a transfer method.

CONSTITUTION: The sublimating dye 6b is made to penetrate the surface of the lens 4 by sublimation by using the transfer method. An oxygen permeable hard contact lens(HCL) is larger in copolymer molecule gap than a normal HCL consisting principally of polymethyl methacrylate, etc., so the sublimating dye 6b can be made to penetrate the lens 4 relatively easily. Thus, the sublimating dye 6b is made to penetrate the surface of the lens 4 by sublimation by the transfer method to perform dyeing for marking, etc. Consequently, there is no swell of dyed part on the surface of the lens 4 and the uniform and strong marking is enabled.

COPYRIGHT: (C)1990,JPO&Japio

i<sub>t</sub> . • •